





THE RANGE THAT MEETS ALL YOUR REQUIREMENTS

With the Largo-Allegro range you obtain an efficient, reliable and complete solution which fits a wide range of compressed air requirements.

A WIDE OFFER FOR YOU

- Available power sizes: from 22 up to 37 kW (22 & 26 kW power sizes added).
- 4 pressure variants for fixed speed.
- 4 Allegro variants, 22-26-30-36 kW direct driven for improved efficiency.
- One pressure variant (5,5-12,5 bar) for Allegro 23-26-30-36.

HIGH EFFICIENCY TRANSMISSIONS

- Reduced energy consumption compared to belt driven technology.
- Low noise levels: the Largo & Allegro can be installed close to the workplace.
- Longer service intervals compared to belt technology.

EASY ACCESSIBILITY AND INSTALLATION

- Easy to service thanks to the large hinged doors and removable panels.
- Easy to install thanks to a high variety of configurations and scope of supply.

THE OPTIONS YOU NEED

- Graphic and integrated central controller.
- Energy recovery.
- Compressed air filter to improve the air quality.
- WSD to protect your dryer from moisture.
- ...and much more to customize your machine!





ADVANCED MONITORING, CONTROL & CONNECTIVITY

The state-of-the-art Airlogic²T touchscreen controller – included as standard – gives you on-screen and remote insight into the performance of your compressor:

- Large 4.3" full-color touchscreen display
- 30+ languages
- Warning indications and shutdown alarms
- Service status and schedule indication
- Visualisation of running conditions over LAN network
- compressor data analysis over ICONS



ICONS



INCREASED UPTIME, POWERED BY ICONS

With the Intelligent CONnectivity System (ICONS), you get data and insights from your machines delivered to your computer, tablet or smartphone.

- Increase the reliability of your machine by identifying problems before they become a threat to the continuity of your production.
- Analyze and optimize your energy consumption and CO2 emissions.
- Receive high-quality energy reports ensuring the ISO50001 compliance of your site.



THE RIGHT FIT FOR EACH CUSTOMER

Check out these innovative features of the Largo & Allegro 23-36 range and see how they provide you with a complete offer: high efficiency, easy maintenance and a low noise level.

HIGH QUALITY DRIVE TRAIN (GEAR AND DIRECT TRANSMISSION)

- Gearbox technology for great energy efficiency and reliability installed on all the Largo units.
- No long-term loss thanks to the combination of screw rotors and gearbox technology.
- Direct driven transmission (1) for outstanding energy efficiency and reliability installed on the Allegro 23-26-30-36.
- In-house designed element with high performance (specific energy requirements and FAD) C80 gear and DD for 23-26-30-36 (2).
- Standard IP 55 class F IE3 motor for Largo (3).
- IP 54 designed for converter duty motors for Allegro (4).
- Primary suppliers for main outsourced components like motors and converters (5), with world wide support.

HIGHLY EFFICIENT AIR INTAKE FILTRATION AND OIL SEPARATION

- Fresh air taken from the cold side of the compressor to improve efficiency.
- Two micron encapsulated intake filters guarantee only clean air enters the compressor (6).
- Spin on oil separator (7) for 22 and 26 kW and internal oil separator with oversized oil vessel (8) for 30 and 37 kW for a pressure drop < 250 mbar.









OPTIMAL VENTILATION AND OVERSIZED COOLER

- Improved cooling flow results in a lower working temperature.
- A separated air flow offers you an efficient motor and inverter cooling together with a long life time of oil, components and compressor (9).
- Optimal ventilation flow is assured with low energy consumption.
- Oversized oil and air cooler for better cooling and lower operating temperature (10).





INTEGRATED INVERTER

- Easy accessible integrated inverter drive (5).
- Optimal FAD range control.
- New cubicle cooling system to improve electrical device reliability.

QUIET OPERATION

Thanks to the improved noise insulation, the compressor works very quietly and can be placed near the workplace.

AIR QUALITY

- Internal water separator (11) with automatic drain removes up to 90% of compressed air moisture (standard with dryers).
- Oversized dryer (12) installed in the cold part of the unit to ensure the maximum of moisture removal.





HOW TO OPTIMIZE YOUR ENERGY CONSUMPTION


Energy costs represent about 70% of the total operating cost of your compressor over a 5-year period. That is why reducing the operating cost of a compressed air solution is a major focus.



VARIABLE SPEED TECHNOLOGY

For the right application, variable speed technology, can cut the energy bill of your compressor by up to 30%.


- The variable frequency drive compressor matches air supply with demand therefore reducing energy consumption when the demand is lower. If the demand is stable then the Air Control controller guarantees a fixed set pressure.
- No unload cycles above 20% load.
- No peak current due to soft start.
- Improved efficiency thanks to the new direct driven transmission





IMPROVE YOUR ENERGY RECOVERY

When air is compressed, heat is formed. The excess heat can be captured with an energy recovery option and channeled to other applications allowing you to save energy and cut costs.



WATER COOLING RECOVERY

In the energy recovery units (optional) the oil circuit is pre-cooled with an oil/water heat exchanger. Water then becomes the fluid transport media to recover the oil temperature. The hot water resulting from this process can be used to heat radiators or water boilers, pre-heat supply water or hot tap water, and other industrial applications. The energy recovery option integrates a heat exchanger on the oil circuit, which heats up the continuously pressurized water flow. The system is regulated automatically, and in case of limited water cooling capacity, the standard cooling system of the compressor will operate and backup the energy recovery device.

The energy recovery option is a simple mechanical system that requires no maintenance or electricity consumption, but offers you significant reductions in your energy costs.





OPTIONS TO OPTIMIZE YOUR OPERATIONS

A wide range of options enables you to get the most out of your Largo & Allegro 23-36 compressor.





AIR QUALITY

- **Internal water separator with automatic drain** reduces up to 90% of the compressed air moisture. Standard on 23-26-30-36 plus versions.
- Line filter for oil and dust removal down to 1 ppm for plus versions.
- **Heavy duty air intake filtration** prevents dust entering the pneumatic circuit in very dusty environments (standard on Largo & Allegro 30 and 36).
- Canopy heater for low temperature installation.
- **Electronic zero loss drain** for water separator to easily drain the condensate without any compressed air loss.
- Food grade oil for food & beverage applications

EFFICIENCY

- **Energy recovery pack** to recover up to 70% of the electrical energy consumption as warm water for showers, boilers etc.
- 8000h oil

SAFETY

- Electrical main switch

CONTROL & MONITORING

- Airlogic² T touch screen controller (standard on all models).
- **ECOntrol6i** integrated multiple compressor control for 4/6 compressors (with Airlogic² only).
- Remote monitoring for additional convenience.

For further information on how our options can optimize your operations, please contact your local representative.



TECHNICAL SPECIFICATIONS

REQUEST YOUR \leftarrow QUOTATION!



FIXED SPEED

Model	Max. working pressure		Free Air Delivery @ reference conditions**			Motor power		Noise	Cooling	Weight		
								level **	air flow	FM	FM Plus	
	bar	psi	m³/h	l/s	cfm	kW	hp	db(A)	m³/h		kg	
	7,5	100	237	66	140	- 22	30	66	2300	465		
LARGO 23*	8,5	125	223	62	131						540	
LARGO 23	10	150	203	56	119						540	
	13 175 175 49	49	103									
	7,5	100	277	77	163	- 26	35	67	4800	480		
LARGO 26	8,5	125	263	73	155						555	
	10	150	241	67	142						333	
	13	175	209	58	123							
	7,5	100	335	93	197	30	40	68	4800	580		
LARGO 30	8,5	125	306	85	180						701	
LAKGU 30	10	150	281	78	166						701	
	13	175	245	68	144							
LARGO 36	7,5	100	374	104	220	37	50	69	4800	643		
	8,5	125	346	96	204						764	
	10	150	310	86	183						104	
	13	175	281	78	166							





^{*} Available only for 400 V 50Hz - IEC - CE
** Unit performance measured according to ISO 1217, Annex C, latest edition.
*** Noise level measured according to ISO 2151 2004.



TECHNICAL SPECIFICATIONS

VARIABLE SPEED

Min. working Model pressure	working	Max. working pressure	Free Air Delivery @ reference conditions**										Noise	Cool-	Weight (kg)			
			Min. FAD*		Max. FAD*							Motor power		level	ing air		FM	
	pressure		7 bar		5 bar		7 bar		9.5 bar		12.5 bar				**	flow	FM	Plus
	bar	bar	m³/h	l/s	m³/h	cfm	m³/h	cfm	m³/h	cfm	m³/h	cfm	kW hp		db(A)	m³/h	kg	
Allegro 23*	5	13	47	13	255	151	248	146	215	126	180	106	22	30	66	2300	456	525
Allegro 26	5	13	47	13	290	168	284	167	252	148	209	123	26	35	67	4800	466	535
Allegro 30	5	13	61	17	348	202	334	197	295	174	248	146	30	40	68	4800	515	630
Allegro 36	5	13	65	18	380	221	374	220	331	195	270	159	37	50	69	4800	537	652

Н

DIMENSIONS FIXED SPEED & VARIABLE SPEED

Largo & Allegro	Length	Width	Height	
	mm	mm	mm	
23-26-30-36 standard	1555	830	1555	
23-26 with dryer (plus)	1555	830	1555	
30-36 with dryer (plus)	2030	830	1555	

^{*} Available only for 400 V 50Hz - IEC - CE

** Unit performance measured according to ISO 1217, Annex C, latest edition.

*** Noise level measured according to ISO 2151 2004.



ALUP'S HERITAGE

Founded in Germany in 1923, ALUP derives its name from the automotive products that were manufactured in the mechanical workshop in Köngen where the company came into existence: <u>Auto-Luft-Pumpen</u>. ALUP developed its first piston compressor just two years later. In 1980, rotary screw compressors were added to its product range.

The experience and expertise the company gained each year, coupled with a spirit of innovation, has led to today's high-quality product offer. The name ALUP Kompressoren has become synonymous with innovative technology blended with a strong sense of tradition. To this day, ALUP Kompressoren is operating out of the heart of Baden-Württemberg, where it all began nearly a century ago.



Discover what happens when passion for technology meets hands-on industrial experience: Designs that are easier to install and maintain, allowing you to focus on your job.

Our extensive product range features the right machine for you – including the options that meet your performance requirements perfectly. High energy efficiency ensures return on investment and reduces your carbon footprint. And, because customer proximity is one of our hallmarks, you will always be one step ahead when your needs change.

1923 1925

Founded in Germany

First piston compressor

1980

First rotary screw compressors

today
Innovative technology



Contact your local ALUP Kompressoren representative



Care

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

Trust

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

Efficiency

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.





6999640382: ALUP reserves the right to change or revise specifications and pro rigin in connection with any features of our products. Such changes do not entitl buyer to corresponding changes, improvements, additions or replacement